

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF WELCH ALLYN, INC. AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS A BASIS FOR MANUFACTURE OR SALE OF EQUIPMENT OR DEVICES WITHOUT WRITTEN PERMISSION.

16300458

A

REV	REVISION DESCRIPTION	ECN	DATE	APPROVAL
A	RELEASE TO PROD.	3-1958	7/17/98	DAB

- |                               |  |
|-------------------------------|--|
| 1. LAMP TYPE                  | HEMISPHERICAL END, C-6 FILAMENT, TUNGSTEN HALOGEN REGENERATIVE CYCLE, MINIATURE TWO-PIN CONSTRUCTION |
| 2. RATED VOLTAGE              | 12.00 ±.01 VOLTS D.C.  |
| 3. CURRENT                    | 1.70 ±5% AMPERES   |
| 4. COLOR TEMPERATURE          | 3070 °K AT FILAMENT CENTER COILS OUTER DIAMETER USING A TELESCOPING OPTICAL PYROMETER                |
| 5. MEAN SPHERICAL CANDLEPOWER | 33.0 ±12% MSCP (WIRE TERMINAL LAMP IN A 20" INTEGRATING SPHERE)                                      |
| 6. DESIGN LIFE                | 2500 HOURS AVERAGE (LAB RATED)   |

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			DRAWN	DATE	WELCH ALLYN, INC. SKANEATELES FALLS, NY U.S.A.			
TOLERANCES ON:			P BARAN	7/14/98				
BASIC DIMENSION	.XX	.XXX	CHECKED		TITLE: LAMP SPECIFICATIONS FOR SK-DAB-01312			
UP TO 6	±.02	±.005	R DEAN	7/16/98				
ABOVE 6 TO 24	±.03	±.010	APPROVED		CODE IDENT	DRAWING NO.	REV.	
ABOVE 24	±.06	±.015	D WITTER	7/16/98	64475			
ANGLES ± 1/2 DEGREE			REL. FOR PROD.		SCALE		SHEET	OF
			D BELL	7/17/98				
			DO NOT SCALE					